

all-in-one compliance

The screenshot displays the Qualio software interface. At the top, there is a navigation bar with tabs for 'Qualio', 'Dashboard', 'Library', 'Workspaces', and 'Reports'. On the right side of the navigation bar, there are search and filter options: 'Search' and 'Filter by full', along with a dropdown menu icon.

Below the navigation bar, the main content area is divided into two sections:

- Your Actions:** This section features a green 'Create New' button on the right. Below it, there are four filter tabs: 'No Filter' (selected), 'By System', 'By Training', and 'By Module', each with a dropdown arrow.
- Your Drafts:** This section contains a table with the following columns: 'ID', 'Type', 'Title', and 'Version'. The table lists several draft items:

ID	Type	Title	Version
1001-10	Best Manufacturing Record	Best manufacturing record for product B	0.1
1001-2	Connective and Flowchart Action	Flow for connective action record generation	0.1
1001-1001-2	Customer Complaint	Issue resolution and complaint resolution	0.1
1001-10	Procedure	Training procedure	0.1
1001-2	Connective and Flowchart Action	Control of test conformity	1.1
1001-10	Procedure	Document control procedure	0.0



We help life-saving products
launch faster



US Food & Drug Administration

60,000

SMB Life Sciences in US & EU

60,000

SMB Life Sciences in US & EU



all-in-one compliance

The screenshot displays the Qualio software interface. At the top, there is a navigation bar with the Qualio logo and menu items: Dashboard, Library, Workspace, and Reports. On the right side of the navigation bar, the user's name 'Alice Mills' and the organization 'Darwin Med Tech' are shown, along with some utility icons. Below the navigation bar, the main content area is titled 'Your Actions' and includes a 'Create New' button. Underneath, there are four filters: 'For Review' (1), 'For Approval' (3), 'For Training' (1), and 'Make Effective' (3). The 'Your Drafts' section features a table with the following data:

ID	Type	Title	Version
BMR-16	Batch Manufacturing Record	Batch manufacturing record for product A	0.1
CAPA-2	Corrective and Preventive Action	Title for corrective action record goes here	0.1
COMPLAINT-2	Customer complaint	Device malfunctioned and overheated on first use	0.1
SOP-165	Procedure	Training procedure	0.1
CAPA-6	Corrective and Preventive Action	Control of non-conformity	1.1
SOP-152	Procedure	Document control procedure	0.2

100%

compliance at all times



Contact

Robert Fenton - CEO
robert@qualio.com
angel.co/qualio